

ELMINA Bratislava OC LIGHTPARK, prízemie Račianska 90, Bratislava web: www.elmina.sk mail: elmina@elmina.sk

tel.: +421 910 919 711

LIGHTING



Discover the beauty and functionality of Royal Botania Lighting. Our harmonious designs come in a variety of styles and are made from high-quality materials with cutting-edge technology. Enhance the appearance of your property and create a dynamic display with outdoor lighting that not only transforms its appearance at night, but also adds security to your driveways and entrance paths.

AVAILABILITY OF PRODUCTS

PLEASE NOTE THAT SOME PRODUCT REFERENCES ARE MARKED WITH AN ASTERISK (*), INDICATING THAT THEY ARE ONLY AVAILABLE WHILE SUPPLIES LAST. IF YOU WOULD LIKE MORE INFORMATION OR TO CHECK ON CURRENT STOCK, PLEASE CONTACT US.

LEGEND


IP43 PROTECTED AGAINST OBJECTS > 1MM & PROTECTED AGAINST WATER SPRAYED AT MAX. ANGLE 60° IP44 PROTECTED AGAINST OBJECTS > 1MM & WATER PROJECTIONS FROM ALL DIRECTIONS (360°) IP55 PROTECTED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°) IP65 TOTALLY SEALED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°) IP68 TOTALLY SEALED AGAINST DUST & PROTECTED AGAINST PERMANENT IMMERSION

Protective category 1
Protective category 2
Protective category 3

4	BEACON	42	MOSO WALL
6	BEACON WALL	44	OMEGA WALL
8	BEAMY	46	PARKER
10	BEAMY WALL	48	PARKER WALL
12	BULLET	50	Q-BIC
14	CLOCHE WALL	52	Q-BIC WALL
16	CLUB LOUNGE	56	ROPY
18	DOME CEILING	58	ROPY TABLE
20	DOME FLOOR	62	RUSTY
22	DOME GATE	64	SEPTEM
24	DOME MOVE	66	SPIKY
26	DOME SMALL	68	SPOTTY
28	DOME WALL	72	TESLA CEILING
30	DOME GLASS VARIETIES	74	TESLA WALL
32	FUNGY	78	TRISTAR
36	LUNIZ	82	ACCESSORIES
40	MEDUZ	83	MATERIALS

BEACON







(€ 4 🛭


REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT IP	EEC	
BCN140B	BLACK	LED	2,2 W	2700	390	100-240V 65	С	
BCN140W	WHITE	LED	2,2 W	2700	390	100-240V 65	С	+

INCLUDES 250mA DRIVER



BEACON WALL








(€ 4 🖁


REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT IP	EEC	
BCNWB	BLACK	LED	2.2 W	2700	390	100-240V 65	C	
BCNWW	WHITE	LED	2,2 W	2700	390	100-240V 65	С	<u> </u>

INCLUDES 250mA DRIVER



BEAMY








(€ 4 🛭


REFERENCE	DES	SCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
BMY100230AZ		ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMY100230AB		ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(
BMY100230WB		WEATHERED BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(±)
BMY100230A		ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMY100230WR		WHITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(



BEAMY WALL







(€ 4 🖺

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
BMYW230AZ	ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMYW230AB	ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u> </u>
BMYW230WB	WEATHERED BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	+
BMYW230A	ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMYW230WR	WHITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u> </u>











ANTIQUE ZINC

ANTIQUE BRASS

WEATHERED BRASS


ANTHRACITE COATED

WHITE COATED



BULLET








ANTIQUE ZINC

(€ 4 🛚


REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	INPUT	IP	EEC	
·							
BLTG230AB	40 CM - ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(
BLTG230AZ	40 CM - ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(
BLT230AB	110 CM - ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	+
BLT230AZ	110 CM - ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(±)

INFO: ADJUSTABLE HEAD



CLOCHE WALL







MOUTHBLOWN GLASS: CLEAR


(€ 4 🛚

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
CLOW	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	44	A-G	(



CLUB LOUNGE







(€ 4 🛭

REFERENCE	CE DESCRIPTION IN		DESCRIPTION INTEGRATED LIGHT		WATT	K	LM	INPUT IP	E	EC
CLBLTR		TRANSPARENT SHADE	LED	4,3 W	2700	700	100-240V 65	5 D		
CLBLAM		AMBER SHADE	LED	4,3 W	2700	700	100-240V 65	5 D	(


CORD LENGTH: 4 METER

POWER SUPPLY: 500MA DRIVER INCLUDED



DOME CEILING








(€ 4 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMECSBCL	49-78 CM - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(
DOMECSBSM	49-78 CM - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(
DOMECLBCL	74-134 CM - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u> </u>
DOMECLBSM	74-134 CM - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(a)



DOME FLOOR










REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMEFBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMEFBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(1)



DOME GATE










REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMEGTBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMEGTBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(



DOME GATE WITH CLEAR GLASS

DOME MOVE







(€ 🐴 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET		K	LM	INPUT	IP	EEC	
DOMEMBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMEMBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(


CORD LENGTH: 5 METER

03DOMEMBALLAST01: OPTIONAL GALVANIZED STEEL BALLAST



DOME SMALL










REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMESBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMESBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(

CORD LENGTH: 4 METER



DOME WALL










REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMEWBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	
DOMEWBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(1)



DOME WALL WITH CLEAR GLASS

DOME GLASS VARIETIES


FLOOR / WALL



REFERENCE

03DOMG01	CLEAR MOUTHBLOWN GLASS
03DOMG01SM	SMOKE MOUTHBLOWN GLASS

MOVE / SMALL / GATE / CEILING



REFERENCE


03DOMG02	CLEAR MOUTHBLOWN GLASS
03DOMG02SM	SMOKE MOUTHBLOWN GLASS





FUNGY







(€ 4 🛭

REFERENCE	DESCRIPTION		LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
FGY50RI	RU	STY IRON	G9 - (LED NOT INCLUDED)	MAX 5 W	230V	55	A-G	<u></u>
FGY50WB	WE	EATHERED BRASS	G9 - (LED NOT INCLUDED)	MAX 5 W	230V	55	A-G	(








LUNIZ







CERAMIC BASE PLATE



ROPE LAMPSHADE OPTION: BLACK/GREEN/DESERT



FABRIC LAMPSHADE OPTION: 70+ FABRICS



(€ 4 🖺

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
LNZSMLA	ANTHRACITE	3x E27 - DECORATIVE LEDS INCLUDED	MAX 15W	230V	44	A-G	<u> </u>
LNZSMLPB	PEBBLE	3x E27 - DECORATIVE LEDS INCLUDED	MAX 15W	230V	44	A-G	(±)

LNZBASE70CERAM...(WUM/CL/PG/NM/BS/TR/TG/ZUM/CD/TS/TM) CERAMIC BASE PLATE

LNZSHADER40A	(BR/G/D) 40 CM ROPE LAMPSHADE
LNZSHADER50A	(BR/G/D) 50 CM ROPE LAMPSHADE
LNZSHADER60A	(BR/G/D) 60 CM ROPE LAMPSHADE

LNZSHADEF40WR... (SEE FABRICS) 40 CM FABRIC LAMPSHADE

LNZSHADEF50WR... (SEE FABRICS) 50 CM FABRIC LAMPSHADE

LNZSHADEF60WR... (SEE FABRICS) 60 CM FABRIC LAMPSHADE

THIS LAMP COMES WITH A HEAVY BASE THAT ALLOWS FOR VARIOUS CERAMIC BASE PLATE CHOICES. IT HAS MODULAR LAMPSHADE OPTIONS WITH THREE SIZES THAT CAN BE MIXED OR MATCHED. AVAILABLE IN THREE ROPE COLOURS OR OVER 70 FABRICS.

CORD LENGTH: 5M








DOME MOVE & SMALL WITH CLEAR GLASS

MEDUZ








MOUTHBLOWN GLASS: SMOKE

(€ 4 🖺


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
MDZ150ASM	ANTHRACITE - SMOKE	E27 - DECORATIVE LED INCLU	IDED 4 W	2200	280	230V	43	A-G	
MDZ150ASM	PEBBLE - SMOKE	E27 - DECORATIVE LED INCLU		2200	280	230V	43	A-G	(a)

CORD LENGTH: 5M



MOSO WALL





PORCELAIN: WHITE/BLACK/NIGHT BLUE



REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
MSOWUW*	UP - WHITE	LED	3 W	2700	450	230V	65	D	(
MSOWUB*	UP - BLACK	LED	3 W	2700	450	230V	65	D	(1)
MSOWUNB*	UP - NIGHT BLUE	LED	3 W	2700	450	230V	65	D	(
MSOWDW*	DOWN - WHITE	LED	3 W	2700	450	230V	65	D	+
MSOWDB*	DOWN - BLACK	LED	3 W	2700	450	230V	65	D	(1)
MSOWDNB*	DOWN - NIGHT BLUE	LED	3 W	2700	450	230V	65	D	(1)

POWER SUPPLY: 350MA DRIVER INCLUDED



OMEGA WALL










ELECTROPOLISHED STAINLESS STEEL





(€ 4 🖺


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	_
01101000000	10007			0701/			
OMG1D220EP	1 SPOT	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u>(4)</u>
OMG2D220EP	2 SPOTS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	



OMEGA WALL 2 SPOTS 45

PARKER FLOOD & PATH










REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
PRKF	WITH BASE	LED	4 W	2700	700	100-240V	65	С	(
PRKP	WITH SPIKE	LED	4 W	2700	700	100-240V	65	С	(
		LIGHTBULB SOCKET							
PRKF230	WITH BASE	GU10 (LED NOT INCLUDED)	MAX 5 \	V		230V	55	A-G	(
PRKP230	WITH SPIKE	GU10 (LED NOT INCLUDED)	MAX 5 V	V		230V	55	A-G	<u> </u>

CORD LENGTH: 5 METER LED INCLUDES 500mA DRIVER

PRKF: INCLUDES 40 CM GRANITE BASE

PRKP: INCLUDES SPIKE



PARKER WALL










REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
PRKW	ANTIQUE BRASS	LED	3 W	2700	450	100-240V	65	D	<u></u>
T TOTAL TOTA	AITTIGGE BITAGS		3 **	2700	430	100 240 0	- 00		
		LIGHTBULB SOCKET							
PRKW230	ANTIQUE BRASS	GU10 (LED NOT INCLUDED)	MAX 5 V	N		230V	55	A-G	<u></u>

LED INCLUDES 350mA DRIVER



Q-BIC







(€ 4 🛚


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
QB301D220EP	30 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(1)
QB302D220EP	30 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QB601D220EP	60 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QB602D220EP	60 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QBG1D220EP	10 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QBG2D220EP	10 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(1)
QB301D230A	30 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QB302D230A	30 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QB601D230A	60 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QB602D230A	60 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QBG1D230A	10 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(1)
QBG2D230A	10 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(

ADJUSTABLE ANGLE 270° INSTALLATION OPTION: JUB5625



Q-BIC 30 CM 1 SPOT ANTHRACITE

Q-BIC WALL




(€ 4 🖺

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
QBW1D220EP	1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QBW2D220EP	2 SPOTS - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)		230V	55	A-G	
QBWVD220EP	1 SPOT 270° - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QBWVD230A	1 SPOT 270° - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 \\\/	230V	55	A-G	(

QBWVD220EP: ADJUSTABLE ANGLE 270° - GROUND MOUNTING IS ALSO POSSIBLE QBWVD230A: ADJUSTABLE ANGLE 270° - GROUND MOUNTING IS ALSO POSSIBLE








ROPY









(€ 4 🛭


REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
RPY040AB	BRONZE	SOLAR LED	3,2 W	2700	400	230V	54	Α	(ii)
RPY040GG	GREEN	SOLAR LED	3,2 W	2700	400	230V	54	А	
RPY040PBD	DESERT	SOLAR LED	3,2 W	2700	400	230V	54	А	(ii)



ROPY TABLE







POWDER COATED ALUMINIUM: ANTHRACITE/GREEN/PEBBLE



POLYOLEFIN ROPE: BRONZE/GREEN/DESERT





REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
RPYTBAB	BRONZE	SOLAR LED	1,2 W	2700	150	230V	54	Α	(ii)
RPYTBGG	GREEN	SOLAR LED	1,2 W	2700	150	230V	54	Α	<u></u>
RPYTBPBD	DESERT	SOLAR LED	1,2 W	2700	150	230V	54	А	








RUSTY







(€ 4 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
RUS40	40 CM	E27 - LED / FLUO (NOT INCLUDED)	MAX 11 '	W			55	A-G	
RUS70	70 CM	E27 - LED / FLUO (NOT INCLUDED)	MAX 11 '	W			55	A-G	
		INTEGRATED LIGHT							
RUS40L	40 CM	LED	9 W	3000	470	230V	55	G	(a)
RUS70L	70 CM	LED	9 W	3000	470	230V	55	G	<u> </u>

LED INCLUDES 250mA DRIVER
INSTALLATION OPTION: JUB5625



SEPTEM








REFERENCE	INTEGRATED LIGHT	WATT	K	LM	INPUT IP	EEC
SEP070W	LED	3 W	2700	450	100-240V 65	C 😩

ADJUSTABLE SPOT 10°
INCLUDES 350mA DRIVER



SPIKY





ANTIQUE BRASS




REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
CDL/C	10.014	150	7.14/	0700	450	070)/	<u> </u>		
SPKG	40 CM	LED	3 W	2700	450	230V	65	A	(III)
SPK	100 CM	LED	3 W	2700	450	230V	65	Α	<u></u>

REQUIRED: LEDCONKIT OR DRI1



SPOTTY








CE 4 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
SPT230L040WB	40 CM	GU10 - LED FLAT OPTIC (NOT	INCLUDED) 5 W	230V	65	A-G	(1)
SPT230L110WB	110 CM	GU10 - LED FLAT OPTIC (NOT	INCLUDED) 5 W	230V	65	A-G	(








TESLA CEILING










REFERENCE DESCRIPTION		LIGHTBULB SOCKET	WAT	WATT K		INPUT	IP	EEC		
TSLCA	CL	.EAR	E27 - DECORATIVE LED INCLUD	DED 4 W	2200	280	230V	43	A-G	<u></u>
TSLCASM	SM	10KE	E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	(



TESLA CEILING WITH CLEAR GLASS

TESLA WALL







(€ 4 🛚

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
TSLWA	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u>(a)</u>
TSLWASM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(









TRISTAR







(€ 4 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
TDC0 4501	45 OM TEAK OF	A.D. FOT DECODATIVE LED INCLUD	FD 434/	2000	200	070)/	47	A 6	
TRS045CL	45 CM - TEAK - CLE			2200	280	230V	43	A-G	<u> </u>
TRS045SM	45 CM - TEAK - SMC	DKE E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(
TRS050CL	50 CM - TEAK - CLE	AR E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(
TRS050SM	50 CM - TEAK - SMC	DKE E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(
TRS045ACL	45 CM - ANTHRACITE - 0	CLEAR E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	
TRS045WRCL	45 CM - WHITE - CLEA	R E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	(
TRS045ASM	45 CM - ANTHRACITE - S	MOKE E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(1)
TRS045WRSM	45 CM - WHITE - SMOKE	E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(1)
TRS050ACL	50 CM - ANTHRACITE - C	LEAR E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	
TRS050WRCL	50 CM - WHITE - CLEAR	E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(1)
TRS050ASM	50 CM - ANTHRACITE - SN	10KE E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(1)
TRS050WRSM	50 CM - WHITE - SMOKE	E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(







ACCESSORIES

LBF	STAINLESS STEEL SPIKE: FUNGY			
LBN	STAINLESS STEEL SPIKE: Q-BIC 30/60 / SEPTEM			
LBQ	STAINLESS STEEL SPIKE: Q-BIC GROUND / Q-BIC WALL			
LBD	GALVANISED STEEL SPIKE: DOME FLOOR			
LBDM	GALVANISED STEEL SPIKE: DOME MOVE			
LBR	GALVANISED STEEL SPIKE: RUSTY			
BL360	PERFORATED SCREEN 360° - STAINLESS STEEL			
BL180	PERFORATED SCREEN 180° - STAINLESS STEEL			
BINLS	LED INSERT FOR NEW OR REPLACEMENT FIXTURES (LED 8,5W - 470lm - 3000K - 230V / 50Hz)	CE	⊕	IP55
BINLR	LED INSERT FOR NEW OR REPLACEMENT FIXTURES WITH VARIOUS LIGHTOUTPUT LED 2,2W - 390lm UP TO 4,3W - 700lm - 2700K (FOR MORE INFO: PLEASE CONTACT YOUR ROYAL BOTANIA DEALER)	ce		IP55
BIN2	E27 LAMP HOLDER - 220V/E27 - LED FLUO MAX 11W	C€		IP55
BINLG9	G9 LAMP HOLDER - 230V/G9 - LED ONLY MAX 5W	C€		IP55
LEDCONKIT	= DRI1 + JUB5625 + JUB5630			
DRI1	IP68 LED DRIVER 100-220V 50-60HZ - 350mA - 9W	CE		IP68
JUB5625	CONNECTION BOX IP68 - 3X4 mm ²	ce		IP68
JUB5630	JUNCTION BOX IP68 - 2X1,5 mm ²	C€		IP68
OPTIONAL BULE	FOR TESLA / CLOCHE WALL / LUNIZ / MEDUZ / TRISTAR / DOME COLLECTION			
LTLED04WE27	LED FILAMENT BULB 4W - 220V/E27 - 2200K - 280lm	CE	A	ı
		-		

MATERIALS

TEAK

ROYAL BOTANIA USES CAREFULLY SELECTED, FULLY GROWN TEAK IN ITS PRODUCTS. THE WOOD COMES FROM THE TECTONA GRANDIS TREE AND IS HARVESTED IN ACCORDANCE WITH ENVIRONMENTAL STANDARDS. TEAK IS DURABLE BECAUSE IT CONTAINS HIGH LEVELS OF NATURAL OILS, WHICH PREVENT MOISTURE ABSORPTION AND WARPING. IT IS ALSO RESISTANT TO CHEMICALS AND VERMIN. THESE QUALITIES MAKE TEAK THE MOST PREMIUM WOOD ON FARTH.

TEAK



ELECTROPOLISHED STAINLESS STEEL

ELECTROPOLISHED STAINLESS STEEL FROM ROYAL BOTANIA IS HIGHLY RESISTANT TO CORROSION. THIS IS BECAUSE THE ELECTROPOLISHING PROCESS REMOVES IMPURITIES AND DEFECTS FROM THE SURFACE OF THE STEEL, CREATING A SMOOTH AND UNIFORM SURFACE THAT IS RESISTANT TO CORROSION. THE PROCESS ALSO INCREASES THE THICKNESS OF THE PROTECTIVE CHROMIUM OXIDE LAYER ON THE STEEL'S SURFACE. THE STEEL IS ALSO MORE DURABLE AND LESS LIKELY TO CRACK OR WARP BECAUSE THE ELECTROPOLISHING PROCESS REMOVES ANY RESIDUAL STRESS IN THE STEEL. THIS MAKES IT AN OPTIMAL CHOICE FOR USE IN OUTDOOR ENVIRONMENTS. THE ELECTROPOLISHING PROCESS CREATES A HIGHLY CORROSION-RESISTANT STAINLESS STEEL THAT IS DURABLE AND LONG-LASTING.

ELECTROPOLISHED STAINLESS STEEL

REF: EP



POWDER COATED ALUMINIUM

OUR POWDER COATED ALUMINUM IS PERFECT FOR OUTDOOR LIGHTING BECAUSE IT IS STRONG, LIGHTWEIGHT, AND RESISTANT TO CORROSION. THE POWDER COATING PROCESS CREATES A DURABLE, EASY-TO-CLEAN SURFACE THAT CAN WITHSTAND EXPOSURE TO THE ELEMENTS. THIS MAKES IT AN IDEAL MATERIAL FOR OUTDOOR LIGHTING FIXTURES.









RUSTY IRON

ROYAL BOTANIA USES A CAST IRON ALLOY WITH A SMALL PERCENTAGE OF COPPER AND CHROME. THIS PREVENTS ANY LAYER OF OXIDATION CREATED BY CONTACT WITH AIR AND WATER FROM FLAKING OFF. THE RESULT IS AN EVEN, RUST-COLOURED PATINA THAT BLENDS IN PERFECTLY WITH THE NATURAL SURROUNDINGS.

RUSTY IRON REF: RI



GLASS

ROYAL BOTANIA OFFERS TWO VARIETIES OF COLORED GLASS: CLEAR AND SMOKE, BOTH HANDMADE AND HIGHLY SUITABLE FOR OUTDOOR USE.

CLEAR



SMOKE REF: SM



BRASS

BRASS IS A METALLIC ALLOY COMPOSED OF COPPER AND ZINC. THE ANTIQUE BRASS FINISH IS ACHIEVED THROUGH A PROCESS OF ACID DIPPING, WHICH GIVES THE BRASS A DARK, AGED APPEARANCE. THIS FINISH IS WIDELY SOUGHT AFTER FOR ITS UNIQUE, VINTAGE LOOK.

ANTIQUE BRASS



WEATHERED BRASS



ZINC

THE ZINC ALLOY USED TO MANUFACTURE ROYAL BOTANIA LIGHTING WILL LOOK WHITE IN COLOUR WHEN FIRST INSTALLED IN THE LANDSCAPE. THIS IS DUE TO THE ACIDIFICATION OF THE ZINC OXIDE. AT A LATER STAGE, THIS WHITE DEPOSIT WILL WASH OFF AND WILL TURN INTO A LOVELY DARKGREY PATINA.

ZINC REF: Z



PORCELAIN

PORCELAIN, REFINED AND PRODUCED WITH MODERN AND SOPHISTICATED TECHNIQUES REMAINS STABLE IN ALL TEMPERATURES. IT'S EXTREMELY HARD, WEAR-RESISTANT AND COLORFAST. THIS SUSTAINABLE AND LIFELONG PORCELAIN IS VERY SUITABLE FOR INDOOR- AND OUTDOOR USE.





BLACK REF: B




NIGHT BLUE



POLYOLEFIN

THIS SYNTHETIC FIBRE WHICH IS MADE FROM POLYETHYLENE, OFFERS NUMEROUS BENEFITS. THESE INCLUDE EXCEPTIONAL STRENGTH, COLOR FASTNESS, AND RESISTANCE TO STAINING AND VARIOUS WEATHER CONDITIONS. ITS DURABILITY AND VERSATILITY MAKE IT AN EXCELLENT CHOICE FOR A WIDE RANGE OF APPLICATIONS.

BRONZE
REF: ...B - POLYPROPYLENE





FABRICS

ROYAL BOTANIA SOURCES ONLY THE FINEST QUALITY TEXTILES FROM AROUND THE WORLD, METICULOUSLY SELECTING MATERIALS THAT ARE BOTH SUMPTUOUS TO THE TOUCH AND CAPABLE OF WITHSTANDING THE ELEMENTS. RESULTING IN A PRODUCT THAT IS BOTH LUXURIOUS AND PRACTICAL.

VIEW THEM BY SCANNING THE QR CODE BELOW!



CERAMIC

THE CERAMIC TOPS ARE MADE FROM NATURAL CLAYS, SO SMALL COLOUR GRADATIONS CAN OCCUR. THIS MAKES EACH TABLE UNIQUE.



ELM Môj životný štýl

ELMINA Bratislava
OC LIGHTPARK, prízemie
Račianska 90, Bratislava
tel.: +421 910 919 711
e-mail: elmina@elmina.sk

www.elmina.sk www.elmina.cz